



Test Report

No.: 70.300.23.11131.01

Dated: 2023-11-06

Applicant: ATA School Supplies CO., LTD.
Address: Building 4, Lane 2777, Baoan Road, Malu Town, Jiading District, Shanghai, PEOPLE'S REPUBLIC OF CHINA

Product Name: Playground equipment "Elephant"
Brand: Wisdom
Model No.: TOT3523-0003DCL
Buyer: TUMACO LIMITED
13/F GLOUCESTER TOWER THE LANDMARK 15 QUEEN'S RD CENTRAL, CENTRAL, HONG KONG

Manufacturer: ATA School Supplies CO., LTD.
Building 4, Lane 2777, Baoan Road, Malu Town, Jiading District, Shanghai, PEOPLE'S REPUBLIC OF CHINA

Factory: ATA School Supplies CO., LTD.
Building 4, Lane 2777, Baoan Road, Malu Town, Jiading District, Shanghai, PEOPLE'S REPUBLIC OF CHINA

Country of Origin: China
Country of Destination: /
Receipt Date of Sample: 2023-10-27
Date of Testing: From 2023-10-27 to 2023-11-01
Sample Submitted: The sample(s) was (were) submitted by applicant and identified.
Test Result: Refer to the data listed in following pages

Test Specification(s) or Test Item(s):

1. According to client requirement: based on DIN EN 1176-1:2017 & NEN EN 1176-1:2017 Playground equipment and surfacing – Part 1: General safety requirements and test methods
2. According to client requirement: based on DIN EN 1176-3:2017 & NEN EN 1176-3:2017 Playground equipment and surfacing – Part 3: Additional specific safety requirements and test methods for slides

Conclusions:

Pass

Pass

Test Report

No.: 70.300.23.11131.01

Dated: 2023-11-06



Hardline laboratory

TÜV SÜD Certification and Testing (China) Co., Ltd. Shanghai Branch
Testing Center

Prepared by:


Authorized by:

Liu, Qi (Adam)
Project Handler

Zhu, Ning (Caspar)
Designated Reviewer

Note:

- (1) The TÜV SÜD Certification and Testing (China) Co., Ltd. "General Terms & Conditions" applied.
Any use for advertising purposes must be granted in writing. This technical report may only be quoted in full. This report is the result of a single examination of the object in question and is not generally applicable evaluation of the quality of other products in regular production.
For further details, please see "Testing and certification regulation", chapter A-3.4
For full version, please visit: EN : <https://www.tuvsud.cn/zh-cn/resource/terms-and-conditions---en> ; SCN: <https://www.tuvsud.cn/zh-cn/terms-and-conditions> ; TCN: <https://www.tuvsud.com/zh-tw/terms-and-conditions>
- (2) The results relate only to the Items tested.
- (3) The test report shall not be reproduced except in full without the written approval of the laboratory
- (4) Disclaimer Measurement Uncertainty:
Unless otherwise agreed upon, Pass or Fail verdicts are given based on the measured values without any considerations of measurement uncertainties.
Please note, every test method has a measurement uncertainty which has been evaluated by the laboratory according to ISO/IEC 17025 requirements. By taking measurement uncertainties into account it might happen that measured values can neither be assessed as Pass nor as Fail.



Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, Testing Center
Building B,C, No. 1999 and Building D, No. 2059, Duhui
Road, Minhang District, Shanghai


Phone: +86 21 60376300
Fax: +86 21 60376350
<https://www.tuvsud.com>

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, TÜV SÜD Group
Floor 11-12, No 151, Hengtong Road, Jing'an District, Shanghai

Description of the test subject:

1	Product Description <i>Product details</i>	Playground equipment "Elephant" designed for children 1-8 years old.
2	Dimensions (cm)	342 x 130 x 153
3	Critical falling height (mm)	600 (platform's height)

General view of the sample



Test Results:

1. According to client requirement: based on DIN EN 1176-1:2017 & NEN EN 1176-1:2017
Playground equipment and surfacing – Part 1: General safety requirements and test methods

Clause	Requirement -Test	Measuring result- Remark	Verdict
4	Safety requirements		
4.1	Materials		N/R
4.2	Design and manufacture		
4.2.1	General		/
4.2.2	Structural integrity		P
4.2.3	Accessibility for adults	Complied. The construction of the product was designed easily for adult's access.	P
4.2.4	Protection against falling		
4.2.4.1	General	Platform height: 600mm Barriers were equipped to surround the platform.	/
4.2.4.2	Handrails		N/A
4.2.4.3	Guardrails		N/A
4.2.4.4	Barriers	Complied. The surrounded barriers had a height of more than 700mm.	P
4.2.4.5	Strength requirements		P
4.2.4.6	Grip requirements		P
4.2.4.7	Grasp requirements		P
4.2.5	Finish of equipment	Complied.	P
4.2.6	Moving parts	Without moving parts.	N/A
4.2.7	Protection against entrapment		
4.2.7.1	General	Complied.	P
4.2.7.2	Entrapment of the head and neck	Complied. No such risks.	P
4.2.7.3	Entrapment of clothing/hair	Complied. No such risks.	P
4.2.7.4	Entrapment of the whole body	Complied. No such risks.	P
4.2.7.5	Entrapment of the foot or leg	Complied. No such risks.	P
4.2.7.6	Entrapment of fingers	Complied. No such risks.	P
4.2.8	Protection against injuries during movement and falling		
4.2.8.1	Determination of free height of fall	Free height of fall was 600mm.	P
4.2.8.2	Determination of spaces and areas	Complied.	P
4.2.8.3	Protection against injuries in the free space for users undergoing a movement that is forced by the equipment	Complied.	P
4.2.8.4	Protection against injuries in the falling space	Complied.	P

4.2.8.5	Protection against injuries from the surface of the impact area		N/R
4.2.8.6	Protection against injuries due to other types of movement		P
4.2.9	Means of access		
4.2.9.1	Ladders	No ladders.	N/A
4.2.9.2	Stairs		P
4.2.9.3	Ramps	No ramps.	N/A
4.2.9.4	Steep play elements	No steep play elements.	N/A
4.2.9.5	Easily accessible playground equipment	This product is considered as easily accessible playground equipment.	P
4.2.10	Connections	Complied.	P
4.2.11	Consumable components		P
4.2.12	Ropes	No ropes.	N/A
4.2.13	Chains	No chains.	N/A
4.2.14	Foundations	The product is intended to be installed on the concrete floor only.	P
4.2.15	Heavy suspended rigid beams	No such devices.	N/A
4.2.16	Bouncing facilities	No bouncing facilities.	N/A

**2. According to client requirement: based on DIN EN 1176-3:2017 & NEN EN 1176-3:2017
Playground equipment and surfacing – Part 3: Additional specific safety requirements and test methods for slides**

Clause	Requirement -Test	Measuring result- Remark	Verdict
4	Safety requirements		
4.1	General	See results of DIN EN 1176-1 & NEN EN 1176-1.	/
4.2	Access	The slide was attached to the platform.	P
4.3	Starting section		
4.3.1	Length and angle	More than 350mm.	P
4.3.2	Guarding section	The barrier's opening was same as the width of the starting section.	P
4.3.3	Width	Complied.	P
4.3.4	Lateral protection (sides)	Complied.	P
4.4	Sliding section		
4.4.1	Length and angle	Complied.	P
4.4.2	Width	The sliding section was less than 1.5m in length.	N/A
4.4.3	Sides and profile of the slide	Height of lateral protection was more than 100mm.	P
4.5	Run-out section	The length of run-out section was more than 300mm.	P
4.6	Surface of the slide	Complied.	P

Test Report**No.:** 70.300.23.11131.01**Dated:** 2023-11-06

4.7	Free space	Complied.	P
4.8	Impact area	Complied.	P
4.9	Tunnel and mixed tunnel slides		
4.9.1	Clearance	Not tunnel slides.	N/A
4.9.2	Position		N/A

Abbreviation: P=Pass; F=Fail; N/A=Not Applicable; N/T=Not Tested; N/R=Not Requested

-End of Test Report-



Laboratory:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, Testing Center
Building B,C, No. 1999 and Building D, No. 2059, Duhui
Road, Minhang District, Shanghai

Phone: +86 21 60376300
Fax: +86 21 60376350
<https://www.tuvsud.com>

Regd. Office:
TÜV SÜD Certification and Testing (China) Co., Ltd.
Shanghai Branch, TÜV SÜD Group
Floor 11-12, No 151, Hengtong Road, Jing'an District, Shanghai

Page 6 of 6